




## MOBILE SCAFFOLD TOWER WITH STABILIZERS




### FEATURES

- Scaffolding width: 0.75m; 1.35m
- Scaffolding length: 1.80m; 2.50m
- Working heights can be extended from 4.50m to max 13.45m with standed parts
- 200kg/m<sup>2</sup> loading capacity i.e. depending on platform length from 270kg to max. 810 kg
- The max. platform heights are limited to 8m outdoors and 12m in fully enclosed spaces.


Working Height	Overall Height	Platform Height
4.50m	3.50m	2.50m
5.60m	4.60m	3.60m
6.45m	5.45m	4.45m
7.60m	6.60m	5.60m
8.40m	7.40m	6.40m
9.55m	8.55m	7.55m
10.40m	9.40m	8.40m
11.50m	10.50m	9.50m
12.35m	11.35m	10.35m
13.45m	12.45m	11.45m

Platform size





## MOBILE SCAFFOLD TOWER WITH STAIRWAY



### FEATURES

- Scaffolding width: 1.35m
- Scaffolding length: 1.80m; 2.50m
- Working heights can be extended from 4.0 m to max 12.35 m with standed parts
- Comfortable entry into the scaffolding from outside through the wide entry frame stairways with 100 mm deep, non-slip tread surface and entry platform.
- 200kg/m<sup>2</sup> loading capacity i.e. depending on platform length from 486 kg to max. 810 kg
- The max. platform heights are limited to 8m outdoors and 12m in fully enclosed spaces.

Working Height	Overall Height	Platform Height
4.50m	3.50m	2.50m
6.45m	5.45m	4.45m
8.40m	7.40m	6.40m
10.40m	9.40m	8.40m
12.35m	11.35m	10.35m

Platform size

